

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A cellular telephone comprising:  
a memory storing a telephone directory;  
a processor having access to the telephone directory stored in the memory; and  
a set of instructions capable of being executed by the processor for ~~performing the steps~~  
of:

establishing a communication link with a remote central station; ~~and~~  
~~transferring~~ receiving at least a portion of a telephone directory via the  
~~communication link to~~ stored in a memory of the remote central station including at least one  
telephone directory listing created and transmitted to the remote central station using a  
computing device not corresponding to a subscriber of the cellular telephone; and  
storing the received telephone directory in the memory of the cellular telephone.

2. (Currently Amended) The cellular telephone according to Claim 1, wherein the processor executes the set of instructions for ~~performing the step of~~ transmitting identification data to the remote central station for identifying ~~instructing the remote central station to identify~~  
~~and transfer at least a portion of one of a plurality of the telephone directories~~ directory stored within ~~[[a]]~~ the memory of the remote central station ~~to at least one of a plurality of cellular telephones.~~

3. (Currently Amended) The cellular telephone according to Claim [[2]] 1, wherein ~~each of the plurality of the received~~ telephone directories directory was created and transferred to the remote central station using ~~corresponds to a respective one of the plurality of a computing~~ device other than the cellular telephones telephone.

4. (Currently Amended) The cellular telephone according to Claim [[2]] 1, ~~wherein the plurality of cellular telephones includes the cellular telephone~~ further comprising:

a display for displaying the telephone directory; and

a keypad for selecting at least a portion of the displayed telephone directory desired to be transmitted from the remote central station to the cellular telephone, wherein the received telephone directory only includes the selected portion of the displayed telephone directory.

5. (Currently Amended) The cellular telephone according to Claim 1, wherein the step of storing the received telephone directory includes overwriting at least a portion of the telephone directory stored within the memory of the cellular telephone with the received telephone directory ~~communication link with the remote central station is established on a periodic basis.~~

6. (Currently Amended) The cellular telephone according to Claim 2, wherein the step of instructing transmitting identification data to the remote central station to identify and transfer occurs on a periodic basis.

7. (Currently Amended) The cellular telephone according to Claim 1, wherein the processor executes the set of instructions for ~~performing the step of~~ instructing the remote central station to broadcast the telephone directory to a ~~subset of~~ a plurality of cellular telephones.

8. (Currently Amended) The cellular telephone according to Claim 1, wherein the processor executes the set of instructions for ~~performing the steps of~~:

receiving a message transmitted from the remote central station indicating that [[a]] the telephone directory is available for transmission from the remote central station to the cellular telephone for storage within the memory of the cellular telephone; and

transmitting a signal to the remote central station, said signal including at least an identification code identifying the telephone directory available for transmission.

9. (Currently Amended) The cellular telephone according to Claim 1, wherein the processor executes the set of instructions for ~~performing the step of~~ instructing the remote central station to transmit the ~~transferred~~ telephone directory to a computing device via at least one network.

10. (Currently Amended) The cellular telephone according to Claim 1, wherein the processor executes the set of instructions for ~~performing the step of~~ transferring the telephone directory stored in the memory of the cellular telephone to the remote central station and instructing the remote central station to store the transferred telephone directory within a memory for a particular time period.

11. (Currently Amended) The cellular telephone according to Claim 10, wherein the processor executes the set of instructions for ~~performing the step of~~ automatically instructing the remote central station to transmit ~~transferring~~ the stored telephone directory or a portion thereof to the cellular telephone after lapse of the particular time period.

12. (Currently Amended) The cellular telephone according to Claim 1, wherein the processor executes the set of instructions for ~~performing the step of~~ transmitting an identification code to the remote central station for identifying ~~[[a]]~~ the telephone directory which is assigned the identification code and is stored within the memory of the remote central station.

13. (Currently Amended) The cellular telephone according to Claim 1, wherein the processor executes the set of instructions for ~~performing the step of~~ transmitting information corresponding to ~~[[a]]~~ the subscriber ~~of the cellular telephone~~ to the remote central station during a registration process, wherein the registration process includes ~~the step of~~ registering the subscriber with the remote central station.

14. (Currently Amended) The cellular telephone according to Claim 1, wherein the processor executes the set of instructions for ~~performing the steps of~~:

identifying a calling party's telephone number and an entity the telephone number is assigned to, i.e., Caller ID information; and

transmitting the Caller ID information to the remote central station for creating a telephone directory listing using the Caller ID information and storing the ~~storage as a~~ telephone directory listing within the memory of the remote central station.

15. (Currently Amended) A cellular telephone comprising:

- a memory storing a telephone directory;
- a processor having access to the telephone directory stored in the memory; and
- a set of instructions capable of being executed by the processor for ~~performing the steps~~ of:
  - parsing Caller ID information, said Caller ID information including at least a telephone number and an entity assigned the telephone number; and
  - storing the parsed Caller ID information as a telephone directory listing within the telephone directory, wherein the processor creates the telephone directory listing using the Caller ID information and stores the telephone directory listing within the memory.

16. (Original) The cellular telephone according to Claim 15, wherein the processor further executes the set of instructions for performing the step of transferring at least the stored telephone directory listing to a remote central station.

17. (Currently Amended) A telephone directory management system comprising:

- a remote central station having a memory for storing a plurality of telephone directories each assigned an individual identification code and at least one processor having access to the plurality of telephone directories stored in the memory;
- a plurality of cellular telephones each corresponding to a different subscriber and each storing a telephone directory and having a processor for executing a set of instructions for ~~performing the steps of:~~
  - establishing a communication link with the remote central station; and

transferring ~~the respective telephone directories~~ at least a portion of the telephone directory stored therein to the remote central station; and

a set of instructions capable of being executed by the at least one processor for ~~performing the steps of:~~

identifying at least a portion of ~~the~~ a telephone directory of the plurality of telephone directories stored by the remote central station and corresponding to at least one of the plurality of cellular telephones and transferring at least the identified portion of the telephone directory ~~the same to the~~ at least ~~one~~ two of the plurality of cellular telephones.

18. (Original) The system according to Claim 17, wherein the establishing and transferring steps are performed on a periodic basis.

19. (Original) The system according to Claim 17, wherein identifying and transferring steps are performed on a periodic basis.

20. (Currently Amended) The system according to Claim 17, wherein the processor of at least one of the plurality of cellular telephones executes the set of instructions for ~~performing the step of~~ instructing the remote central station to broadcast a telephone directory stored within the memory to the plurality of cellular telephones.

21. (Currently Amended) The system according to Claim 17, wherein the processor executes the set of instructions for ~~performing the steps of:~~

receiving a message transmitted from the remote central station indicating that a telephone directory is available for transmission; and

transmitting a signal to the remote central station, said signal including at least an identification code identifying the telephone directory available for transmission.

22. (Currently Amended) The system according to Claim 17, wherein the processor executes the set of instructions for ~~performing the steps of:~~

identifying a calling party's telephone number and an entity the telephone number is assigned to, i.e., Caller ID information; and

transmitting the Caller ID information to the remote central station for creating a telephone directory listing using the Caller ID information and storing the ~~storage as a~~ telephone directory listing within the memory of the remote central station.

23. (Currently Amended) A method for managing telephone directories corresponding to a plurality of cellular telephones, said method comprising the steps of:

storing a plurality of telephone directories each corresponding to a respective one of the plurality of cellular telephones within a memory of the remote central station;

processing instructions received by the remote central station for identifying at least one telephone directory stored within the remote central station; and

transferring the at least one identified telephone directory to at least ~~one~~ two of the plurality of cellular telephones, wherein one of the at least two of the plurality of cellular telephones includes a cellular telephone which does not correspond to the at least one identified

telephone directory, and wherein the plurality of cellular telephones have the capability of transferring a respective telephone directory to the remote central station for storage therein.

24. (Currently Amended) The method according to Claim 23, wherein prior to processing, further comprising the step of transmitting a message by the remote central station to ~~the~~ at least a subset of the plurality of cellular telephones indicating that ~~[[a]]~~ the at least one telephone directory is available for transmission to at least the subset of the plurality of cellular telephones for storage thereat.

25. (Currently Amended) The method according to Claim ~~[[23]]~~ 24, further comprising the step of transmitting a signal by each of the cellular telephones of the ~~automatically transferring at least one telephone directory to at least a~~ subset of the plurality of cellular telephones upon receiving the transmitted message from the remote central station.

26. (Currently Amended) The method according to Claim 23, further comprising the steps of:

receiving Caller ID information, i.e., a calling party's telephone number and an entity the telephone number is assigned to;

processing the received Caller ID information to create at least one telephone directory listing; and

storing the at least one telephone directory listing within the memory of the remote central station, wherein the at least one identified telephone directory includes the at least one telephone directory listing.



27. (Cancelled)

28. (Currently Amended) The method according to Claim [[27]] 31, ~~further comprising the step of charging a fee to the third party for performing at least the step of sending the received data~~ wherein the telephone directory listing includes information selected from the group consisting of name, home telephone number, mobile telephone number, home address, business address, e-mail address, and web-site address.

29. (Original) The method according Claim 23, further comprising the step of charging a fee to at least one subscriber of the plurality of cellular telephones.

30. (Currently Amended) The method according to Claim [[29]] 23, wherein prior to the transferring step, displaying the at least one identified telephone directory via a display of at least one of the plurality of cellular telephones; and  
selecting at least a portion of the displayed telephone directory desired to be transmitted from the remote central station to the at least one of the plurality of cellular telephones ~~wherein the step of charging is performed on a periodic basis.~~

31. (New) A method for forwarding a telephone directory listing created by a first subscriber associated with a first cellular telephone to a second cellular telephone associated with a second subscriber, the method comprising:

receiving at a remote central station the telephone directory listing transmitted by the first cellular telephone;

storing the telephone directory listing within a memory of the remote central station;  
receiving at the remote central station identification data transmitted by the second cellular telephone and corresponding to the first subscriber;  
identifying the telephone directory listing by the remote central station using the received identification data; and  
transmitting by the remote central station the telephone directory listing created by the first subscriber associated with the first cellular telephone to the second cellular telephone associated with the second subscriber.